

THUNDER TP0022

Lobby phone



Features and Benefits

- Full-duplex VoIP
- Video communication with cabin
 - Text messaging with cabin
- Powered by PoE (4 hours backup)
 - Web provisioning
- Self-diagnostic as required per code
 - Lockable door



917 Mgr Grandin, Suite 304B
Quebec City
Quebec, Canada
G1V 3X8
1 418 476-4802
info@vidatech.ca

TO ORDER :

TP00X2

Mechanical integration
"1" : OEM
"2" : Surface Mount

TP0022 SPECIFICATIONS

TP0022	
Mounting	Wall Mount
Enclosure	Hinged Door with thumb lock Powder Coat finish
Power	12 - 57V, 1.8W
Connection	1 x PoE Eth in
Compliance	ASME A17.1-2019, CSA B44-19 ASME A17.1-F2019 CSA B44-F19
Operating Temperature	0 - 45 °C
Weight	12.4 lb,5.6Kg
Warranty	1 year from installation date
Protocol/Communication	SIP, RFC2833, RTP
Security	TLS1.3, AES256

TP0022S SPECIFICATIONS

TP0022S	
Mounting	Wall Mount
Enclosure	Hinged Door with thumb lock Powder Coat finish
Power	12 - 57V, 2.8W
Connection	1 x PoE Eth in
Compliance	ASME A17.1-2019, CSA B44-19 ASME A17.1-F2019 CSA B44-F19
Additional Interface	2 x Energy Link 2 x Eth 1 x PoE Eth
Operating Temperature	0 - 45 °C
Weight	12.4 lb, 5.86Kg
Warranty	1 year from installation date
Protocol/Communication	SIP, RFC2833, RTP
Security	TLS1.3, AES256